Discrete Mathematics 74 (1989) 349–350
North-Holland

AUTHOR INDEX

Volume 74 (1989)

Albertson, M.O., R.E. Jamison, S.T. Hedetniemi and S.C. Locke, The subchromatic number of a graph (1,2) 33–49

Berardi, L., Constructing 3-designs from spreads and lines (Note) (3) 331–332
Berge, C., Minimax relations for the partial q-colorings of a graph (1,2) 3–14
Biliotti, M., On a construction of clay of BIB designs from Frobenius groups (Note) (3) 333–334
Blokhuis, A., A.E. Brouwer and H.A. Wilbrink, Heden's bound on maximal partial spreads (Note) (3) 335–339
Bollobás B. and H.R. Hind, A new upper bound for the list chromatic number (1,2) 65–75
Brouwer, A.E., see A. Blokhuis (3) 335–339

Cameron, K., A min-max relation for the partial q-colourings of a graph. Part II: Box perfection (1,2) 15–27

de Werra, D., see A. Hertz (1,2) 51–59
Duchet, P., On locally-perfect colorings (1,2) 29–32

Fishburn, P.C. and N.J.A. Sloane, The solution to Berlekamp's switching game (3) 263–290
Füredi, Z., A projective plane is an outstanding 2-cover (Communication) (3) 321–324

Hedetniemi, S.T., see M.O. Albertson (1,2) 33–49
Hertz, A. and D. de Werra, Connected sequential colorings (1,2) 51–59
Hilton, A.J.W., Two conjectures on edge-colouring (1,2) 61–64
Hind, H.R., see B. Bollobás (1,2) 65–75
Hoàng, C.T. and N.V.R. Mahadev, A note on perfect orders (1,2) 77–84
Hoàng, C.T. and B.A. Reed, P_4-comparability graphs (1,2) 173–200

Jaeger, F., On the Penrose number of cubic diagrams (1,2) 85–97
Jamison, R.E., On the edge achromatic numbers of complete graphs (1,2) 99–115
Jamison, R.E., see M.O. Albertson (1,2) 33–49
Jendroľ, S., A non-involutory selfduality (Communication) (3) 325–326

Kierstead, H.A., Applications of edge coloring of multigraphs to vertex coloring of graphs (1,2) 117–124
Kubale, M., Interval vertex-coloring of a graph with forbidden colors (1,2) 125–136

Lehel, J., F.R. McMorris and D.D. Scott, M-chain graphs of posets (Note) (3) 341–346
Locke, S.C., see M.O. Albertson (1,2) 33–49

Mahadev, N.V.R., see Hoàng, C.T. (1,2) 77–84
Mayer, J., Hadwiger's conjecture ($k = 6$): Neighbour configurations of 6-vertices in contraction-critical graphs (1,2) 137–148
McMorris, F.R., see J. Lehel (3) 341–346
Meyniel, H., About colorings, stability and paths in directed graphs (1,2) 149–150
Mitchem, J., On the harmonious chromatic number of a graph (1,2) 151–157

Olariu, S., Weak bipolarizable graphs (1,2) 159–171

Petford, A.D. and D.J.A. Welsh, A randomised 3-colouring algorithm (1,2) 253–261

Reed, B.A., see Hoàng, C.T. (1,2) 173–200
Reiterman, J., V. Rödl and E. Šiňajová, Geometrical embeddings of graphs (3) 291–319
Rödl, V., see J. Reiterman (3) 291–319

Sachs, H. and M. Stiebitz, On constructive methods in the theory of colour-critical graphs (1,2) 201–226
Sampathkumar, E. and C.V. Venkatachalam, Chromatic partitions of a graph (1,2) 227–239
Scott, D.D., see J. Lehel (3) 341–346
Šiňajová, E., see J. Reiterman (3) 291–319
Sloane, N.J.A., see P.C. Fishburn (3) 263–290
Stiebitz, M., see H. Sachs (1,2) 201–226
Sysło, M.M., Sequential coloring versus Welsh–Powell bound (1,2) 241–243

Tipnis, S.K. and L.E. Trotter, Jr., A generalization of Robacker's theorem (1,2) 245–252
Trotter, L.E., Jr., see S.K. Tipnis (1,2) 245–252

Venkatachalam, C.V., see E. Sampathkumar (1,2) 227–239

Welsh, D.J.A., see A.D. Petford (1,2) 253–261
Wilbrink, H.A., see A. Blokhuis (3) 335–339
Wolfmann, J., The weights of the dual code of the Melas code over GF(3) (Communication) (3) 327–329